

## W412







Specification			
Resolution	WXGA (1,280 x 800)	Speaker (W)	10W Speaker
Brightness <sup>1</sup>	4,400 ANSI lumens	3D	Yes
Contrast	22,000:1	Standby power	<=0.5W
Lamp life (hours)	15,000/10,000/4,000 (Dynamic/ Eco+ Mode/Eco. Mode)		
Noise level (Eco mode)	26dB	Light Source	Lamp
Display Colors	1.07 billion	Scan Rate	Horizontal : 15.375~91.146 KHz
			Vertical: 50~85Hz
Dimensions / Weight	316x243.5x108.5mm(w/o feet); 3kg	Power supply	100V ~ 240V ± 10%, 50-60Hz
Throw ratio	1.54~1.72	Power Consumption	Power consumption (min) @110V 205W
Zoom type	1.1x		Power consumption (max) @110V 325W
Image size (inch)	30"~302.5"		
Aspect ratio	Native 16:10		Power consumption (min) @220V 200W  Power consumption (max) @220V 315W
Keystone correction	+/-40 degree (Vertical)		
Projection Lens	F: 2.41(Wide)~2.53(Tele)		
	f: 21.86mm(Wide)~24.00mm(Tele)		
Offset	112%±5%		
Connections	HDMI 1.4x2	Features	4K Signal Compatible
	USB-A 2.0x1		Bright 4,400 ANSI Lumens
	VGA-INx1, VGA-OUTx1		Powerful 10W Speaker
	Audio-INx1, Audio-OUTx1,		3D
	RS232x1		26 dB Quiet Operation